
WHEN
CONDITIONS
ARE TOUGH

ECOPHON SUPER GTM





ABOUT ECOPHON

- 06 GOOD ACOUSTICS MATTER EVERYWHERE
- 08 BUILDING ON BETTER

04

- 10 SUPER G™ WHEN CONDITIONS ARE TOUGH
- 12 SUPER G™ PRODUCT INFORMATION
 - 12 Super GTM Product range
 - 12 Impact resistance
 - 12 Super G surface
 - 13 Super G[™] Overview
 - 13 Certificates
- 14 SUPER G™ PRODUCT RANGE
 - 14 Super G A
 - 14 Super G B
 - 15 Super G Plus A
- 16 SYSTEM PROPERTIES

This publication shows products from Ecophon product range and those of other suppliers. The specifications are intended to provide a general guide to which products are most suitable for the preferences indicated. Technical data is based on results obtained under typical testing conditions or long experience in normal conditions. The specified functions and properties for products and systems are only valid on condition that instructions, installation diagrams, installation guides, maintenance instructions and other stated conditions and recommendations have been taken into consideration and followed. Deviation from this, such as changing specific components or products, will mean that Ecophon cannot be held responsible for the function, consequences and properties of the products. All descriptions, illustrations and dimensions contained in this brochure represent general information and shall not form part of any contract. Ecophon reserves the right to change products without prior notice. We disclaim any liability for misprints. For the latest information as to wave ecophon comfuls or contract your negrest Ecophon representative.









MATTER EVERYWHERE


The importance of acoustics is underappreciated. Sound impacts our daily lives, and the scientific support for improving our indoor sound environments is well-documented.

But, what exactly is an ideal indoor sound environment for people? We believe it to be one based on how we experience sound outside. The human auditory sense is naturally adapted to an outdoor environment where there are no sound reflections from ceilings and walls.

That's why, at Ecophon, we strive to replicate the acoustic qualities found in nature for indoor environments. We want to optimise indoor spaces so that speech and sound clarity are improving performance and wellbeing.

This usually starts with the ceiling. A wall-to-wall acoustic ceiling is the easiest way to get a large sound-absorbing surface area into a space which will result in: reduced reverberation time, increased speech clarity and overall hearing comfort.

To create an optimal sound environment, wall-mounted panels can be strategically placed to visually compliment the space. We find a holistic approach is the best way to reduce the overall sound level and sound propagation in a room, and Ecophon is here to help.





ding

BETTER

Sustainability is more than a word – it's a collective movement to protect people and the planet that requires honest commitment and genuine care. That's why Ecophon is building on better materials, transparency, and principles, to name just a few.

We actively support an industry-wide drive to standardised, easy-access Environmental Product Declarations for individual products, rather than product families. Their inclusion of full lifecycle data, from raw material sourcing to end of life, rather than only the favourable stages. A move away from self-declared labels, or non-independently verified sustainability claims. For any promises of net zero carbon emission targets to be validated by the Science-Based Targets initiative.

If we're going to build a sustainable future, it has to start with an honest approach, high ambition and the best of intentions - to build on better together.







WHEN CONDITIONS ARE TOUGH

High demands regarding impact resistance do not have to mean a poor sound environment. Ecophon Super GTM has different systems depending on the room activity and impact resistant requirements.

- Class A sound absorption
- Impact resistance grading between 1A-3A
- Both grid installations and direct fixing
- Light weight for easy handling

Super G delivers powerful sound absorption in tough conditions. Choose Super G for school corridors, sports halls and other environments where there's a risk of mechanical impact. The robust systems have a low over-all weight which makes them easy to handle and install.



ECOPHON SUPER G™ PRODUCT RANGE

Super G offer solutions for environments where there is a need for extra robust sound absorption systems. The range includes suspended wall-to-wall ceilings and direct fixing solution with screws or glue adhesive for a quick and easy acoustic upgrade.

Ecophon Super G^{TM} Plus A is developed for environments where maximum impact resistance is needed. It has a robust grid system consisting of recessed profiles that is 1A classified for high mechanical impact.

IMPACT RESISTANCE

Super G systems are tested and classified for impact resistance according to EN 13964.

- **1A** High velocity sport halls such as hand ball or tennis courts.
- **2A** Where low energy ball games take place such as volley ball or soft ball.
- **3A** Where low levels of impact resistance is needed such as corridors in schools or day care centres.



ECOPHON SUPER G™ OVERVIEW

Edge Design	Product	Absorption class	Connect grid	Sizes (mm)	Impact resistance class*
	Ecophon Super G A	А	T24	600x600x20 1200x600x20	3A
				600x600x35 1200x600x35 1600x600x35 1800x600x35 2000x600x35 2400x600x35	2A
	Ecophon Super G B	А	Direct fixing glue or screws	600x600x40	1A
	Ecophon Super G Plus A	А	Recessed profile	1200x600x40	1A

^{*} According to EN 13964







Super G B



Super G Plus A





Ecophon Super G panels contribute to a healthy indoor environment with superior acoustic absorption, low VOC emissions in line with the strictest requirements, and a full chemical transparency with verified Health Product Declarations. The low environmental footprint of our Super G panels is third-party verified in Environmental Product Declarations.

The products do not contribute to fire and the glass wool core of the Super G[™] tiles is tested and classified as non-combustible according to EN ISO 1182. Fire classification according to EN 13501-1, see Technical Properties on respectively product.

NOTE


More product and system information such as installation help and sustainability documentation can be found at www.ecophon.com/uk



SUPER G A

Visible grid system and impact bracing bars or clips to keep the panels in place.






SUPER G B

Bevelled edge with a narrow groove between each tile. For direct fixing with glue or screws.





SUPER G PLUS A

Robust grid system consisting of recessed profiles mounted directly to the soffit or a suspended sub-grid.






ACOUSTICS, TECHNICAL PROPERTIES AND INSTALLATION DIAGRAMS

18 Super G A20 Super G B22 Super G Plus A






Ecophon Super G[™] A

Acoustics:

Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.



- --- Super G A 20 mm, 200 mm o.d.s.
- Super G A 35 mm, 50 mm o.d.s.
- Super G A 35 mm, 200 mm o.d.s.

o.d.s = overall depth of system

Frequency	H;

THK	o.d.s. mm		$lpha_{ m p'}$ Practical sound absorption coefficient					$\alpha_{\scriptscriptstyle{ ext{w}}}$	Sound absorption class	
	mm	O.d.3. IIIIII	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	u _w	oonia absorption class
	20	200	0.45	0.85	1.00	0.95	1.00	1.00	1.00	А
	35	50	0.15	0.55	1.00	1.00	1.00	1.00	0.85	В
	35	200	0.50	0.95	1.00	1.00	1.00	1.00	1.00	А

	THK mm	o.d.s. mm	NRC	SAA
-	35	50	0.90	0.92
-	35	200	1.00	0.97
-	35	400	0.90	0.92

IAC

Indoor Air Quality:

Certificate / Label
Eurofins Indoor Air Comfort®

French VOC A
Finnish M1 •

Environmental Footprint: Super G A 20mm: 3,28 (Super G family EPD in conformity with ISO 14025 / EN 15804), Super G A 35mm: 4,90 (Super G EPD in conformity with ISO 14025 / EN 15804),

Circularity: Minimum post-consumer recycled content (35 mm Super G A): 51%, Minimum post-consumer recycled content (20 mm Super G A): 42%, Recyclability: Fully recyclable,

Fire safety: The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182. Super G A is tested to fire standard EN 13501-1 and classed A2-s1,d0

Humidity Resistance: Class C, relative humidity 95% and 30°C, according to EN 13964:2014

Visual appearance: White 085. Nearest NCS colour sample: S 1002-Y. Light reflectance: 78%. (The tiles need to be installed in accordance with the arrows on the back of the tile in order to get optimal visual appearance).

Cleanability: Daily dusting and vacuum cleaning. Weekly wet wiping.

Accessibility: The tiles are not demountable.

Installation: Installed according to installation diagrams, installation guides and drawing aid. (The tiles have to be installed according to the arrows on the back of the tile.)


System weight: The weight of the system (including suspension grid) should be approximately 3-4 kg/m²


Mechanical properties: See table regarding the min- and max- load bearing capacities and functional demands.


Impact Resistance: Tested and classified according to EN 13964 annex D. 20: M199, 3A, 35: M55, 2A,

CE: Ecophon ceiling systems are CE marked according to the European harmonized standard EN 13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.

Installation diagram in detail www.ecophon.com








Ecophon Super G[™] B

Acoustics:

Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.



Super G B 40 mm, 43 mm o.d.s.o.d.s = overall depth of system

Frequency Hz

THK	o.d.s. mm		$\alpha_{p'}$	Practical soun	id absorption co	efficient		α,,	Sound absorption class
mm	0.4.3. 11111	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz		Sound absorption class
40	43	0.25	0.80	1.00	1.00	1.00	1.00	1.00	A

	THK mm	o.d.s. mm	NRC	SAA
-	40	43	0.90	0.90

Indoor Air Quality:

Certificate / Label
Eurofins Indoor Air Comfort® IAC
French VOC A
Finnish M1

Environmental Footprint: Super G B: 8,40 (Super G family EPD in conformity with ISO 14025 / EN 15804),

Circularity: Minimum post-consumer recycled content: 58%, Recyclability: Fully recyclable,

Fire safety: The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182. Super G B is tested to fire standard EN 13501-1 and classed A2-s1,d0

Humidity Resistance: Class C, relative humidity 95% and 30°C, according to EN 13964:2014

Visual appearance: White 085. Nearest NCS colour sample: S 1002-Y. Light reflectance: 78%. (The tiles need to be installed in accordance with the arrows on the back of the tile in order to get optimal visual appearance).

Cleanability: Daily dusting and vacuum cleaning. Weekly wet wiping.

Accessibility: The tiles are not demountable.

Installation: Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification. Rendered surfaces must have sufficient strength to be able to carry the load imposed by the tiles. If doubts, test gluing should be carried out. The surface should always be dry and clean. For best result the surface should be even. Install tiles according to arrows.


System weight: The weight of the system should be approximately 5 kg/m²


Mechanical properties: See table regarding the min- and max- load bearing capacities and functional demands. Additional live load has to be fixed to the soffit.


Impact Resistance: Tested and classified according to EN 13964 annex D and fulfill the demands corresponding to DIN 18032 part 3. Adding installations to the system might affect the systems impact resistance. M298: 1A, M487: 1A,

CE: Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.

Installation diagram in detail www.ecophon.com








Ecophon Super G[™] Plus A

Acoustics:

Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.



- ···· Super G Plus A 40 mm, 40 mm o.d.s.
- Super G Plus A 40 mm, 200 mm o.d.s.
 o.d.s = overall depth of system

Frequency Hz

THK mm	o.d.s. mm		α _p , Pr	actical soun	d absorption o	coefficient		α,,,	Sound absorption class
	O.G.S. IIIIII	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	u. _w	Sound absorption class
40	40	0.20	0.75	1.00	1.00	1.00	1.00	1.00	А
40	200	0.55	0.85	0.85	1.00	1.00	1.00	1.00	А

THK mm	o.d.s. mm	NRC	SAA
40	40	0.90	0.90
40	200	0.90	0.89
40	400	0.85	0.87

Indoor Air Quality:

Certificate / Label

Eurofins Indoor Air Comfort® IAC
French VOC A
Finnish M 1 •

Environmental Footprint: Super G Plus A: 7,73 (Super G family EPD in conformity with ISO 14025 / EN 15804),

Circularity: Minimum post-consumer recycled content: 59% Recyclability: Fully recyclable,

Fire safety: The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182. Super G Plus A is tested to fire standard EN 13501-1 and classed A2-s1,d0

Humidity Resistance: Class C, relative humidity 95% and 30°C, according to EN 13964:2014

Visual appearance: White 085. Nearest NCS colour sample: S 1002-Y. Light reflectance: 78%.(The tiles need to be installed in accordance with the arrows on the back of the tile in order to get optimal visual appearance).

Cleanability: Daily dusting and vacuum cleaning. Weekly wet wiping.

Accessibility: The tiles are not demountable.

Installation: Installed according to installation diagrams, installation guides and drawing aid. (The tiles have to be installed according to the arrows on the back of the tile.)


System weight: The weight of the system (including suspension grid) should be $6 \text{ to } 10 \text{ kg/m}^2$ (depending on installation method).


Mechanical properties: See table regarding the min- and max- load bearing capacities and functional demands.

Impact Resistance: Tested and classified according to EN 13964 annex D and fulfill the demands corresponding to DIN 18032 part 3. Adding installations to the system might affect the systems impact resistance. M115: 1A, M527: 1A,

CE: Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.

Installation diagram in detail www.ecophon.com





Ecophon is the leading supplier of indoor acoustic solutions that improve working performance and quality of life. We believe in the difference sound can make to our everyday lives, and are passionate advocates for the importance of room acoustics to people's wellbeing – whatever the space, activity or need.

Having a sound effect on people is the principle that guides all we do. We're proud of the Swedish heritage and human approach that promise is founded on.
Our uncompromising commitment to transparent sustainable practice, and, as members of the Saint-Gobain Group, to be doing our part in making the world a better home.



