

Ecophon Combison™ A, dB

42

Ecophon Combison™ dB is the fastest and easiest way to combine features for both sound absorption and sound insulation between rooms. Ideal for installations where the partitions do not extend all the way up to the soffit. Combison dB can also help to reduce vertical noise from floor to floor. The panel is easy to handle, install and demount and it has a visible grid system. It is made from crimped glass fibre and has an Akutex FT surface on the front.






| Size, mm | 600x600 | 1200x600 |
|-----------------|---------|----------|
| T24 | • | • |
| Thickness (THK) | 50 | 50 |
| Inst. Diagr. | M531 | M531 |







Combison A dB 42 tile


Section of Combison A dB 42 system

Combison A dB 42 system



Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654.



- Combison dB 42 A/E, 200 mm o.d.s. o.d.s = overall depth of system

Frequency Hz


| THK | o.d.s. mm | | $lpha_{p'}$ Pr | actical sound | $\alpha_{_{\!\scriptscriptstyle{\mathrm{W}}}}$ | Sound absorption class | | | |
|-----|-----------|--------|----------------|---------------|--|------------------------|---------|------|-------------------------|
| mm | O.d.s. mm | 125 Hz | 250 Hz | 500 Hz | 1000 Hz | 2000 Hz | 4000 Hz | o.w | Journa absorption class |
| 50 | 200 | 0.55 | 0.70 | 0.90 | 0.95 | 1.00 | 1.00 | 0.95 | А |

| THK mm | o.d.s. mm | NRC | SAA |
|-----------|-----------|------|------|
| 50 | 200 | 0.90 | 0.90 |

| THK mm | Product | D _{nfw} Weighted normalized flanking level difference, ISO 10848-2 | R _w Weighted sound reduction index, ISO 10140-2 |
|-----------|---------------|---|--|
| 50 | - | 42 | 21 |
| - | + 1 x Barrier | +4 | - |
| - | + 2 x Barrier | +8 | - |
| - | + 2 x 1200 XR | +3 | - |



Indoor Air Quality









Carbon footprint

| | kg CO2 equiv/m² | Life-cycle stages A1 to C4 from EPD, in conformity with ISO 14025 / EN 15804 |
|------------------|-----------------|--|
| Combison A dB 42 | 8,0 | 14023 / LIN 13004 |



Circularity

Fully recyclable.



Fire safety

| Country | Fire standard | Class | The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182. |
|---------|---------------|----------|--|
| Europe | EN 13501-1 | A2-s1,d0 | Indirecting to ETA 150 1 To 2. |



Humidity Resistance

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



Visual appearance

Akutex FT: White Frost, nearest NCS colour sample \$ 0500-N, 85% light reflectance. Gloss < 1. For more info see Colours and surfaces.



Cleanability

Akutex FT: Daily dusting and vacuum cleaning. Weekly wet wiping. For more info see Colours and surfaces.



Accessibility

The tiles are easily demountable. Minimum demounting depth according to installation diagrams.



Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification.



System weight

| | kg/m² | Weight information is indicative and subject to variation. |
|---|-------|--|
| Combison A, dB 42 | 6,8 | |
| Combison A, dB 42 + Connect Grid System | 7,8 | |




Mechanical properties

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.




CE

Ecophon ceiling systems are CE marked according to the European harmonized standard EN 13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




QUANTITY SPECIFICATION (EXCL. WASTAGE)


| | | Size, mm | |
|----|--|-------------|-------------|
| | | 600×600 | 1200×600 |
| 1 | Combison A, dB 42 | 2,8/m² | 1,4/m² |
| 2 | Connect T24 Main runner, installed at 1200 mm centres (max distance from wall 300 mm) | 0,9m/m² | 0,9m/m² |
| 3 | Connect T24 Cross tee, L=1200 mm, installed at 600 mm centres | 1,7m/m² | 1,7m/m² |
| 1 | Connect T24 Cross tee, L=600 mm | 0,9m/m² | - |
| 5 | Connect Adjustable Hanger, installed at 1200 mm centres (max. distance from wall 600 mm) | 0,7/m² | 0,7/m² |
|) | Connect Hanger Clip (not to be used in swimming hall environments) | 0,7/m² | 0,7/m² |
| 7 | Connect Angle trim, fixed at 200 mm centres | as required | as required |
| | Combison XR (if required) | as required | as required |
| , | Combison Barrier (if required) | as required | as required |
| 0 | Connect Angle trims position upper part of Barrier panels (if required) | as required | as required |
| 11 | Connect Frieze bracket, position upper part of Barrier panels (if required) | as required | as required |
| | Δ Min. overall depth of system: 100 mm | - | - |
| | δ Min. demounting depth: 210 mm | - | ē |



See Quantity specification



When having double Barriers the foil should be mounted outwards.



Suspension with adjustable hanger and clip

| Size, mm 600x600x50 | Max live load (N) 15 | Min load bearing capacity [N] 160 |
|------------------------|----------------------------|---|
| 1200x600x50 | 15 | 160 |
| | | |
| | | |
| | | |

Live load/load bearing capacity



Ecophon CombisonTM Uno A

Ecophon Combison™ Uno A has an exposed grid system with demountable tiles. For use as a sound absorbing ceiling and for sound insulation between rooms if the partitions does not extend all the way up to the soffit. Also suitable for sound reduction of vertical noise.





| Size, mm | 600x600 | 1200x600 |
|-----------------|---------|----------|
| T24 | • | • |
| Thickness (THK) | 35 | 35 |
| Inst. Diagr. | M188 | M188 |








Section of Combison Uno A system

Combison Uno A system

Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.



- Combison Uno A 35 mm, 200 mm o.d.s. o.d.s = overall depth of system

Frequency Hz

| THK | o.d.s. mm | P' | | actical sound | al sound absorption coefficient | | | | Sound absorption class |
|-----|-----------------|--------|--------|---------------|---------------------------------|---------|---------|--------------|------------------------|
| mm | 1 0.0.5. 111111 | 125 Hz | 250 Hz | 500 Hz | 1000 Hz | 2000 Hz | 4000 Hz | α_{w} | Sound absorption class |
| 35 | 200 | 0.25 | 0.30 | 0.55 | 0.95 | 1.00 | 1.00 | 0.55 | D |

| THK mm | o.d.s. mm | NRC | SAA |
|-----------|-----------|------|------|
| 35 | 200 | 0.70 | 0.73 |

| THK | D_{nfw} | R_{w} | CAC dB |
|-----|---|--|--|
| mm | Weighted normalized flanking level difference, ISO 10848-2 | Weighted sound reduction index, ISO 10140-2 | Ceiling Attenuation Class, ASTM 1414, ASTM E413 |
| 35 | 43 | 27 | 44 |



Indoor Air Quality

| Certificate / Label | |
|------------------------------|----------|
| Eurofins Indoor Air Comfort® | IAC Gold |
| French VOC | A+ |







Circularity

| Minimum post-consumer recycled content | 56%* |
|--|------------------|
| Recyclability | Fully recyclable |

 * this value does not take into account the plasterboard



Fire safety

| Country | Fire standard | Class | The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182. |
|---------|---------------|----------|--|
| Europe | EN 13501-1 | A2-s1,d0 | non-composible decorating to ET4 100 TT02. |



Humidity Resistance

Class A, relative humidity 70% and 25°C, according to EN 13964:2014



Visual appearance

White Frost, nearest NCS colour sample S 0500-N, 85% light reflectance. Gloss < 1.



Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



Accessibility

The tiles are easily demountable. Minimum demounting depth according to installation diagrams.



Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification.



System weight

| | kg/m² | Weight information is indicative and subject to variation. |
|--------------------------------------|-------|--|
| Combison Uno A | 11,0 | |
| Combison Uno A + Connect Grid System | 12,0 | |




Mechanical properties

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.



CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




© Ecophon Group

QUANTITY SPECIFICATION (EXCL. WASTAGE)


| | | Size, mm | | |
|----|---|-------------|-------------|--|
| | | 600×600 | 1200×600 | |
| 1 | Combison Uno A | 2,8/m² | 1,4/m² | |
| 2 | Connect T24 Main runner, installed at 1200 mm centres (max distance from wall 300 mm) | 0,9m/m² | 0,9m/m² | |
| 3 | Connect T24 Cross tee, L=1200 mm, installed at 600 mm centres | 1,7m/m² | 1,7m/m² | |
| 1 | Connect T24 Cross tee, L=600 mm | 0,9m/m² | - | |
| 5 | Connect Adjustable Hanger, installed at 1200 mm centres (max. distance from wall 600 mm) | 0,7/m² | 0,7/m² | |
| 5 | Connect Hanger Clip (not to be used in swimming hall environments) | 0,7/m² | 0,7/m² | |
| 7 | For direct installation: Connect Direct Bracket, installed at 1200 mm centres | 0,7/m² | 0,7/m² | |
| 3 | Connect Angle trim, fixed at 200 mm centres | as required | as required | |
|) | Combison XR (if required) | as required | as required | |
| 10 | Combison Barrier (if required) | as required | as required | |
| | Δ Min. overall depth of system, with adjustable hanger: 100 mm, with direct bracket: 50 mm | - | - | |
| | δ Min. demounting depth: 200 mm | ÷ | - | |



See Quantity specification



Direct bracket is secured with pop rivet or screw



Additional absorber on top of ceiling

| Size, mm 600x600x35 | Max live load (N) | Min load bearing capacity [N] 220 |
|------------------------|----------------------|---|
| 1200x600x35 | 0 | 220 |
| | | |
| | | |

Live load/load bearing capacity



Ecophon Combison™ Uno Ds

Ecophon Combison™ Uno Ds has a concealed grid, installed in a suspended grid system with demountable tiles. For use as a sound absorbing ceiling and for sound insulation between rooms if the partitions do not extend all the way up to the soffit. Also suitable for sound reduction of vertical noise.





| Size, mm | 600x600 |
|-----------------|---------|
| T24 | • |
| Thickness (THK) | 35 |
| Inst. Diagr. | M629 |








Combison Uno Ds system

Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.



- Combison Uno Ds 35 mm, 200 mm o.d.s. o.d.s = overall depth of system

Frequency Hz

| THK | o.d.s. mm | | $lpha_{p'}$ Pr | $\alpha_{p'}$ Practical sound absorption coefficien | | | | $\alpha_{_{\!\scriptscriptstyle{\mathrm{W}}}}$ | Sound absorption class |
|-----|--------------|--------|----------------|---|---------|---------|---------|--|------------------------|
| mm | 0.0.3. 11111 | 125 Hz | 250 Hz | 500 Hz | 1000 Hz | 2000 Hz | 4000 Hz | o.w | Sound absorption class |
| 35 | 200 | 0.35 | 0.40 | 0.65 | 0.95 | 1.00 | 1.00 | 0.65 | С |

| THK mm | o.d.s. mm | NRC | SAA |
|-----------|-----------|------|------|
| 35 | 200 | 0.75 | 0.75 |

| THK | D _{nfw} | R _w |
|-----|--|---|
| mm | Weighted normalized flanking level difference, ISO 10848-2 | Weighted sound reduction index, ISO 10140-2 |
| 30 | 41 | 28 |

Indoor Air Quality











Circularity

| Minimum post-consumer recycled content | 56%* | *this value does not take into account the plasterboard |
|--|------------------|---|
| Recyclability | Fully recyclable | |



Fire safety

| Country | Fire standard | Class | The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182. |
|---------|---------------|----------|--|
| Europe | EN 13501-1 | A2-s1,d0 | - Holl collibosible decolating to £14100 1702. |



Humidity Resistance

Class A, relative humidity 70% and 25°C, according to EN 13964:2014



Visual appearance

White Frost, nearest NCS colour sample S 0500-N, 85% light reflectance. Gloss < 1.



Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



Accessibility

The tiles are easily demountable. Minimum demounting depth according to installation diagrams.



Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification.



System weight

| | kg/m² | Weight information is indicative and subject to variation. |
|---------------------------------------|-------|--|
| Combison Uno Ds | 11,4 | |
| Combison Uno Ds + Connect Grid System | 12,4 | - |




Mechanical properties

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.



CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN 13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




© Ecophon Group

QUANTITY SPECIFICATION (EXCL. WASTAGE)


| | | Size, mm |
|----|---|-----------------------------------|
| | | 600×600 |
| 1 | Combison Uno Ds | 2,8/m² |
| 2 | Connect T24 Main Runner PL, installed at 600 mm centres | 1,7m/m² |
| 3 | Connect Wall Bracket for T-profiles | 1/suspended row of Main runner |
| 4 | Connect Space Bar, installed at 900 mm centres (max. distance from wall 300 mm) | 1,15m/m² |
| 5 | Connect Wall Bracket, L=700 mm, for Connect Space Bar | 1/row of Space bar |
| 6 | Connect T24 Cross Tee, L=600 mm | 2/row of Main runner |
| 7 | Connect Space Bar Winch, installed one per joint Connect Main Runner/Connect Space Bar | 1,9/m² |
| 8 | Connect Adjustable Hanger, installed at 1200x900 mm (max. distance from wall 600 mm). Main Runners resting on partition walls don't need hangers. | 0,95/m² |
| 9 | Connect Hanger Clip (not to be used in swimming hall environments) | 0,95/m² |
| 10 | Connect Angle trim, fixed at 200 mm centres | as required |
| 11 | Combison XR [if required] | as required |
| 12 | Combison Barrier (if required) | as required |
| | Δ Min. overall depth of system: 120 mm | - |
| | δ Min. demounting depth: 40 mm | - |




See Quantity specification



Suspension with adjustable hanger and clip



Additional absorber on top of ceiling



Live load/load bearing capacity



Ecophon CombisonTM Duo A

Ecophon Combison™ Duo A has an exposed grid system with demountable tiles. For use as a suspended ceiling with high sound absorption and for sound insulation between rooms if the partitions do not extend all the way up to the soffit. Also suitable for sound reduction of vertical noise.





| Size, mm | 600x600 |
|-----------------|---------|
| T24 | • |
| Thickness (THK) | 55 |
| Inst. Diagr. | M85 |







Combison Duo A tile


Section of Combison Duo A system


Combison Duo A system



Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.





Combison Duo A 55 mm, 200 mm o.d.s.o.d.s = overall depth of system

Frequency Hz

| THK | o.d.s. mm | | $lpha_{p'}$ Pr | actical sound | d absorption c | oefficient | | $\alpha_{_{\scriptscriptstyle{	ext{W}}}}$ | Sound absorption class |
|-----|---------------|--------|----------------|---------------|----------------|------------|------|---|-------------------------|
| mm | 0.u.s. IIIIII | 125 Hz | 250 Hz | 500 Hz | 1000 Hz | 2000 Hz | | o.w | Journa absorption class |
| 55 | 200 | 0.35 | 0.65 | 0.90 | 1.00 | 1.00 | 0.95 | 0.90 | А |

| THK mm | o.d.s. mm | NRC | SAA |
|-----------|-----------|------|------|
| 55 | 200 | 0.90 | 0.91 |
| 54 | 400 | 0.90 | 0.90 |

| THK | AC(1.5) | D_{nfw} | $R_{\rm w}$ | CAC dB |
|-----|---|---|---|--|
| mm | Articulation Class, ASTM E1111, ASTM E1110 | Weighted normalized flanking level difference, ISO 10848-2 | Weighted sound reduction index, ISO 10140-2 | Ceiling Attenuation Class, ASTM 1414, ASTM E413 |
| 55 | 190 | 43 | 32 | 44 |

Indoor Air Quality











Circularity

| Minimum post-consumer recycled content | 62%* |
|--|------------------|
| Recyclability | Fully recyclable |

*this value does not take into account the plasterboard



Fire safety

| Country | Fire standard | Class | The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182. |
|---------|---------------|----------|--|
| Europe | EN 13501-1 | A2-s1,d0 | non-composible decorating to ET4 100 TT02. |



Humidity Resistance

Class A, relative humidity 70% and 25°C, according to EN 13964:2014



Visual appearance

White Frost, nearest NCS colour sample S 0500-N, 85% light reflectance. Gloss < 1.



Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



Accessibility

The tiles are easily demountable. Minimum demounting depth according to installation diagrams.



Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification.



System weight

| | kg/m² | Weight information is indicative and subject to variation. |
|--------------------------------------|-------|--|
| Combison Duo A | 12,5 | |
| Combison Duo A + Connect Grid System | 13,5 | |




Mechanical properties

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.



CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN 13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




© Ecophon Group

QUANTITY SPECIFICATION (EXCL. WASTAGE)


| | | Size, mm | |
|----|---|-------------|--|
| | | 600×600 | |
| 1 | Combison Duo A | 2,8/m² | |
| 2 | Connect T24 Main runner, installed at 1200 mm centres (max distance from wall 300 mm) | 0,9m/m² | |
| 3 | Connect T24 Cross tee, L=1200 mm, installed at 600 mm centres | 1,7m/m² | |
| 4 | Connect T24 Cross tee, L=600 mm | 0,9m/m² | |
| 5 | Connect Adjustable Hanger, installed at 1200 mm centres [max. distance from wall 600 mm] | 0,7/m² | |
| 6 | Connect Hanger Clip (not to be used in swimming hall environments) | 0,7/m² | |
| 7 | For direct installation: Connect Direct Bracket, installed at 1200 mm centres | 0,7/m² | |
| 8 | Connect Angle trim, fixed at 200 mm centres | as required | |
| 9 | Combison XR (if required) | as required | |
| 10 | Combison Barrier (if required) | as required | |
| | Δ Min. overall depth of system, with Adjustable hanger: 100 mm, with Direct bracket: 80 mm | - | |
| | δ Min. demounting depth: 220 mm | - | |




See Quantity specification



Direct bracket is secured with pop rivet or



Suspension with adjustable hanger and clip




Live load/load bearing capacity



Ecophon CombisonTM Duo E

Ecophon Combison™ Duo E has a recessed visible grid and a tegular edge design, creating a ceiling with a shadow effect. For use as a suspended ceiling with high sound absorption and for sound insulation between rooms if the partitions do not extend all the way up to the soffit.





| Size, mm | |
|-----------------|---------|
| | 600x600 |
| T24 | • |
| Thickness (THK) | 55 |
| Inst. Diagr. | M86 |







Combison Duo E tile


Section of Combison Duo E system


Combison Duo E system



Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.





Combison Duo E 55 mm, 200 mm o.d.s.o.d.s = overall depth of system

Frequency Hz

| THK | o.d.s. mm | | $lpha_{p'}$ Pr | Practical sound absorption coefficient $lpha_{ m w}$ Sound absorption of | | | | Sound absorption class | |
|-----|---------------|--------|----------------|--|---------|---------|---------|------------------------|------------------------|
| mm | 0.0.5. 111111 | 125 Hz | 250 Hz | 500 Hz | 1000 Hz | 2000 Hz | 4000 Hz | o.w | Sound absorption class |
| 55 | 200 | 0.35 | 0.60 | 0.95 | 1.00 | 1.00 | 0.90 | 0.90 | А |

| THK mm | o.d.s. mm | NRC | SAA |
|-----------|-----------|------|------|
| 55 | 200 | 0.90 | 0.89 |
| 55 | 400 | 0.90 | 0.89 |

| THK | AC(1.5) | D_{nfw} | R_{w} |
|-----|---|---|---|
| mm | Articulation Class, ASTM E1111, ASTM E1110 | Weighted normalized flanking level difference, ISO 10848-2 | Weighted sound reduction index, ISO 10140-2 |
| 55 | 190 | 39 | 33 |

Indoor Air Quality









Circularity

| Minimum post-consumer recycled content | 61%* |
|--|------------------|
| Recyclability | Fully recyclable |

*this value does not take into account the plasterboard



Fire safety

| Country | Fire standard | Class | The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182. |
|---------|---------------|----------|--|
| Europe | EN 13501-1 | A2-s1,d0 | non-composible decording to ETV 100-1102. |



Humidity Resistance

Class A, relative humidity 70% and 25°C, according to EN 13964:2014



Visual appearance

White Frost, nearest NCS colour sample S 0500-N, 85% light reflectance. Gloss < 1.



Cleanability

Daily dusting and vacuum cleaning. Weekly wet wiping.



Accessibility

The tiles are easily demountable. Minimum demounting depth according to installation diagrams.



Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification.



System weight

| | kg/m² | Weight information is indicative and subject to variation. |
|--------------------------------------|-------|--|
| Combison Duo E | 12,6 | _ |
| Combison Duo E + Connect Grid System | 13,6 | - |




Mechanical properties

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.



CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




© Ecophon Group

QUANTITY SPECIFICATION (EXCL. WASTAGE)


| | | Size, mm |
|----|---|-------------|
| | | 600×600 |
| 1 | Combison Duo E | 2,8/m² |
| 2 | Connect T24 Main runner, installed at 1200 mm centres (max distance from wall 300 mm) | 0,9m/m² |
| 3 | Connect T24 Cross tee, L=1200 mm, installed at 600 mm centres | 1,7m/m² |
| 4 | Connect T24 Cross tee, L=600 mm | 0,9m/m² |
| 5 | Connect Adjustable Hanger, installed at 1200 mm centres (max. distance from wall 600 mm) | 0,7/m² |
| 6 | Connect Hanger Clip (not to be used in swimming hall environments) | 0,7/m² |
| 7 | For direct installation: Connect Direct Bracket, installed at 1200 mm centres | 0,7/m² |
| 8 | Connect Angle trim, fixed at 200 mm centres | as required |
| 9 | Combison XR (if required) | as required |
| 10 | Combison Barrier (if required) | as required |
| | Δ Min. overall depth of system, with Adjustable hanger: 110 mm, with Direct bracket: 90 mm | - |
| | δ Min. demounting depth: 230 mm | - |




See Quantity specification



Direct bracket is secured with pop rivet or screw




Additional absorber on top of ceiling



Live load/load bearing capacity

Ecophon Combison XR

Ecophon Combison™ XR is a complementary product that is installed horisontally on top of the Combison ceiling tiles, to increase the sound reduction level between rooms. The product should cover as much of the ceiling surface as possible for the best acoustic performance.




SYSTEM RANGE



| Size, mm | 1200x600 |
|-----------------|----------|
| T24 | • |
| Thickness (THK) | 50 |
| Inst. Diagr. | M440 |

© Saint-Gobain Ecophon AB Ecophon Combison XR, 2024-09-11





Combison XR system

~\\\\\\

Acoustic

Addition of Combison XR on top of Ecophon Combison ceiling systems will give increased insulation properties. For detailed information please see corresponding systems for Combison.

| Product | D _{nfw} Weighted normalized flanking level difference, ISO 10848-2 |
|---------------|--|
| + 2 x 1200 XR | + 3 |
| + 100% XR | +6 |



Circularity

Fully recyclable.



Fire safety

| Country | Fire standard | Class | The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182. |
|---------|---------------|----------|--|
| Europe | EN 13501-1 | A2-s1,d0 | non-combositore according to ELVTOO 1102. |



Humidity Resistance

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



Visual appearance

Not applicable.



Cleanability

Not applicable.



Accessibility

The tiles are demountable.



Installation

Installed according to installation diagrams, installation guides and drawing aid.

kg

Mechanical properties

Not applicable



System weight


| | kg/m² | Weight information is indicative and subject to variation. |
|-------------|-------|--|
| Combison XR | 1,5 | |



CE

Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.

© Saint-Gobain Ecophon AB Ecophon Combison XR, 2024-09-11



© Ecophon Group

QUANTITY SPECIFICATION (EXCL. WASTAGE)

| | | Size, mm |
|---|-------------|-------------|
| | | 1200x600 |
| 1 | Combison XR | as required |


Size, mm Max live Min load bearing load (N) capacity (N)

Live load/load bearing capacity


© Saint-Gobain Ecophon AB Ecophon Combison XR, 2024-09-11

Ecophon CombisonTM Barrier

Ecophon Combison™ Barrier is an acoustic panel that is vertically installed above partitions in the plenum. Creates a sound barrier to improve the room to room sound insulation. Combison Barrier should be used together with other Ecophon systems for best acoustic performance.



| Size, mm | 1200x600 |
|-----------------|----------|
| Direct | • |
| Thickness (THK) | 40 |
| Inst. Diagr. | M160 |







Combison Barrier tile Co

Section of Combison Barrier system



For use as acoustic barrier above partitions in plenum to improve the room to room sound insulation. The Combison Barrier should be used together with other Ecophon systems.



Circularity

Fully recyclable.



Fire safety

| Country | Fire standard | Class | The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182. |
|---------|---------------|----------|--|
| Europe | EN 13501-1 | A2-s1,d0 | — Horreombosible decording to ETV 100 1102. |



Humidity Resistance

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



Visual appearance

Not applicable. The panel has aluminium foil on one side.



Cleanability

Not applicable.



Accessibility

The tiles are demountable.



Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification.




Mechanical properties

No additional live load is allowed.




CE

Ecophon ceiling systems are CE marked according to the European harmonized standard EN13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.



| QUANTITY | SPECIFICATION | (EXCL. | Wastage) |
|----------|---------------|--------|----------|
| | | | |

| | | Size, mm |
|---|---|-------------|
| | | 1200×600 |
| 1 | Combison Barrier in double layers with displaced joints and exposed alu-foil side | as required |
| 2 | Connect Angle trims position upper part of Barrier panels | as required |
| 3 | Combison Barrier in single layer | as required |
| 4 | Connect Frieze bracket, position upper part of Barrier panels | as required |



Double layers of Combison Barrier with Connect Angle trim



Live load/load bearing capacity



Ecophon Combison™ A, CAC 35

Ecophon Combison™ is the fastest and easiest way to combine features for both sound absorption and sound insulation between rooms. Ideal for installations where the partitions do not extend all the way up to the soffit. Combison can also help to reduce vertical noise from floor to floor. The panel is easy to handle, install and demount and it has a visible grid system. It is made from crimped glass fibre and has an Akutex FT surface on the front.





| Size, mm | 600x600 | 625x625 | 1200x600 | 1250x625 |
|-----------------|---------|----------|----------|----------|
| T24 | • | • | • | • |
| Thickness (THK) | 25 | 25 | 25 | 25 |
| Inst. Diagr. | M528 | M528 DIN | M528 | M528 DIN |










Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.



Combison CAC35, 200 mm o.d.s.o.d.s = overall depth of system

Frequency Hz

| THK | ods mm | $lpha_{ m p}$, Practical sound absorption coefficient | | | | $\alpha_{_{\scriptscriptstyle{ m W}}}$ | Sound absorption class | | |
|-----|---------------|--|--------|--------|---------|--|------------------------|------|------------------------|
| mm | 0.0.3. 111111 | 125 Hz | 250 Hz | 500 Hz | 1000 Hz | 2000 Hz | 4000 Hz | ₩. | Sound absorption class |
| 25 | 200 | 0.40 | 0.55 | 0.80 | 0.90 | 1.00 | 1.00 | 0.80 | В |

| THK mm | o.d.s. mm | NRC | SAA | |
|-----------|-----------|------|------|--|
| 25 | 200 | 0.80 | 0.82 | |

| THK | D _{nfw} | CAC dB |
|-----|--|---|
| mm | Weighted normalized flanking level difference, ISO 10848-2 | Ceiling Attenuation Class, ASTM 1414, ASTM E413 |
| 25 | 34 | 35 |

Indoor Air Quality







Circularity

Fully recyclable.



Fire safety

| Country | Fire standard | Class | The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182. |
|---------|---------------|----------|--|
| Europe | EN 13501-1 | A2-s1,d0 | non-combustible according to £14 130-1 102. |



Humidity Resistance

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



Visual appearance

Akutex FT: White Frost, nearest NCS colour sample S 0500-N, 85% light reflectance. Gloss < 1. For more info see Colours and surfaces.



Cleanability

Akutex FT: Daily dusting and vacuum cleaning. Weekly wet wiping. For more info see Colours and surfaces.



Accessibility

The tiles are easily demountable. Minimum demounting depth according to installation diagrams.



Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification.



System weight

The weight of the system (including suspension grid) should be approximately 7 kg/m^2 .




Mechanical properties

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.




CE

Ecophon ceiling systems are CE marked according to the European harmonized standard EN 13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




| QUANTITY SPECIFICATION | I (EXCL. WASTAGE) |
|------------------------|-------------------|
|------------------------|-------------------|

| | | Size, mm | |
|----|--|-------------|-------------|
| | | 600×600 | 1200×600 |
| ı | Combison A, CAC 35 | 2,8/m² | 1,4/m² |
| 2 | Connect T24 Main runner, installed at 1200 mm centres (max distance from wall 300 mm) | 0,9m/m² | 0,9m/m² |
| 3 | Connect T24 Cross tee, L=1200 mm, installed at 600 mm centres | 1,7m/m² | 1,7m/m² |
| 4 | Connect T24 Cross tee, L=600 mm | 0,9m/m² | - |
| 5 | Connect Adjustable Hanger, installed at 1200 mm centres (max. distance from wall 600 mm) | 0,7/m² | 0,7/m² |
| 5 | Connect Hanger Clip (not to be used in swimming hall environments) | 0,7/m² | 0,7/m² |
| 7 | Connect Angle trim, fixed at 200 mm centres | as required | as required |
| 3 | Combison XR (if required) | as required | as required |
|) | Combison Barrier (if required) | as required | as required |
| 10 | Connect Angle trims position upper part of Barrier panels (if required) | as required | as required |
| 11 | Connect Frieze bracket, position upper part of Barrier panels (if required) | as required | as required |
| | Δ Min. overall depth of system: 100 mm | - | - |
| | δ Min. demounting depth: 210 mm | - | - |









Suspension with adjustable hanger and clip

| Size, mm | Max live load (N) | Min load bearing capacity [N] |
|-------------|----------------------|----------------------------------|
| 600x600x25 | 15 | 160 |
| 1200x600x25 | 15 | 160 |


Live load/load bearing capacity



| | | Size, mm | Size, mm | |
|----|--|-------------|-------------|--|
| | | 625×625 | 1250×625 | |
| 1 | Combison A, CAC 35 | 2,6/m² | 1,3/m² | |
| 2 | Connect T24 Main Runner, installed at 1250 mm centres for DIN (only white profiles) | O,8m/m² | 0,8m/m² | |
| 3 | Connect T24 or T15 Cross Tee, L=1250 mm, installed at 625 mm centres | 1,6m/m² | 1,6m/m² | |
| 4 | Connect T24 or T15 Cross Tee, L=625 mm | O,8m/m² | - | |
| 5 | Connect Adjustable Hanger, installed at 1250 mm centres (max. distance from wall 600 mm) | 0,7/m² | 0,7/m² | |
| 5 | Connect Hanger Clip (not to be used in swimming hall environments) | 0,7/m² | 0,7/m² | |
| 7 | Connect Angle trim, fixed at 200 mm centres | as required | as required | |
| 3 | Combison XR (if required) | as required | as required | |
| 9 | Combison Barrier (if required) | as required | as required | |
| 10 | Connect Angle trims position upper part of Barrier panels (if required) | as required | as required | |
| 11 | Connect Frieze bracket, position upper part of Barrier panels (if required) | as required | as required | |
| | Δ Min. overall depth of system: 100 mm | - | - | |
| | δ Min. demounting depth: 210 mm | - | - | |



See Quantity Specification



Suspension with adjustable hanger and clip


| Size, mm | Max live load (N) | |
|-------------|----------------------|---|
| 625x625x25 | - | |
| 1250x625x25 | | - |
| | | |
| | | |
| | | |
| | | |
| | | |

Live load/load bearing capacity



Ecophon Combison™ E, CAC 35

Ecophon Combison™ is the fastest and easiest way to combine features for both sound absorption and sound insulation between rooms. Ideal for installations where the partitions do not extend all the way up to the soffit. Combison can also help to reduce vertical noise from floor to floor. The panel is easy to handle, install and demount and it has a visible grid system. It is made from crimped glass fibre and has an Akutex FT surface on the front.





| Size, mm | 600x600 | 625x625 | 1200×600 | 1250x625 |
|-----------------|---------|----------|----------|----------|
| T24 | • | • | • | • |
| Thickness (THK) | 25 | 25 | 25 | 25 |
| Inst. Diagr. | M530 | M530 DIN | M530 | M530 DIN |










Sound Absorption:

Test results according to EN ISO 354. Classification according to EN ISO 11654, and the single value ratings for Noise Reduction Coefficient, NRC and Sound Absorption Average, SAA according to ASTM C 423.



Combison CAC35, 200 mm o.d.s.o.d.s = overall depth of system

Frequency Hz

| THK | o.d.s. mm | | $lpha_{p'}$ Pr | actical sound | d absorption c | coefficient | | $\alpha_{_{ m W}}$ | Sound absorption class |
|-----|--------------|--------|----------------|---------------|----------------|-------------|---------|--------------------|------------------------|
| mm | 0.0.3. 11111 | 125 Hz | 250 Hz | 500 Hz | 1000 Hz | 2000 Hz | 4000 Hz | o.w | Sound absorption class |
| 25 | 200 | 0.40 | 0.55 | 0.80 | 0.90 | 1.00 | 1.00 | 0.80 | В |

| THK mm | o.d.s. mm | NRC | SAA |
|-----------|-----------|------|------|
| 25 | 200 | 0.80 | 0.82 |

| THK | D_{nfw} | CAC dB |
|-----|--|---|
| mm | Weighted normalized flanking level difference, ISO 10848-2 | Ceiling Attenuation Class, ASTM 1414, ASTM E413 |
| 25 | 34 | 35 |

Indoor Air Quality







Circularity

Fully recyclable.



Fire safety

| Country | Fire standard | Class | The glass wool core of the tiles is tested and classified as non-combustible according to EN ISO 1182. |
|---------|---------------|----------|--|
| Europe | EN 13501-1 | A2-s1,d0 | Thorreombusible according to ETV 130 TT02. |



Humidity Resistance

Class C, relative humidity 95% and 30°C, according to EN 13964:2014



Visual appearance

Akutex FT: White Frost, nearest NCS colour sample S 0500-N, 85% light reflectance. Gloss < 1. For more info see Colours and surfaces.



Cleanability

Akutex FT: Daily dusting and vacuum cleaning. Weekly wet wiping. For more info see Colours and surfaces.



Accessibility

The tiles are easily demountable. Minimum demounting depth according to installation diagrams.



Installation

Installed according to installation diagrams, installation guides and drawing aid. For information regarding minimum overall depth of system see quantity specification.



System weight

The weight of the system (including suspension grid) should be approximately 7 kg/m^2 .




Mechanical properties

See table about Max live load and Min load bearing capacity and Functional demands, Mechanical properties at www.ecophon.com.




CE


Ecophon ceiling systems are CE marked according to the European harmonized standard EN 13964:2014. CE marked construction products are covered by a Declaration of Performance (DOP) which enables customers and users to easily compare performance of products available on the European market.




| | | Size, mm | Size, mm | |
|----|--|-------------|-------------|--|
| | | 600×600 | 1200×600 | |
| 1 | Combison E, CAC 35 | 2,8/m² | 1,4/m² | |
| 2 | Connect T24 Main runner, installed at 1200 mm centres (max distance from wall 300 mm) | 0,9m/m² | 0,9m/m² | |
| 3 | Connect T24 Cross tee, L=1200 mm, installed at 600 mm centres | 1,7m/m² | 1,7m/m² | |
| 4 | Connect T24 Cross tee, L=600 mm | 0,9m/m² | - | |
| 5 | Connect Adjustable Hanger, installed at 1200 mm centres (max. distance from wall 600 mm) | 0,7/m² | 0,7/m² | |
| 5 | Connect Hanger Clip (not to be used in swimming hall environments) | 0,7/m² | 0,7/m² | |
| 7 | Connect Angle trim, fixed at 200 mm centres | as required | as required | |
| 3 | Combison XR (if required) | as required | as required | |
| 9 | Combison Barrier (if required) | as required | as required | |
| 10 | Connect Angle trims position upper part of Barrier panels (if required) | as required | as required | |
| 11 | Connect Frieze bracket, position upper part of Barrier panels (if required) | as required | as required | |
| | Δ Min. overall depth of system: 100 mm | - | - | |
| | δ Min. demounting depth: 210 mm | ÷ | - | |








Cutting tool E




When having double Barriers the foil should be mounted outwards.

| Size, mm 600x600x25 | Max live load (N) 15 | Min load bearing capacity [N] 160 |
|------------------------|----------------------------|---|
| 1200x600x25 | 15 | 160 |
| | | |


Live load/load bearing capacity




| | | Size, mm | Size, mm | |
|----|--|-------------|-------------|--|
| | | 625×625 | 1250×625 | |
| 1 | Combison E, CAC 35 | 2,6/m² | 1,3/m² | |
| 2 | Connect T24 Main Runner, installed at 1250 mm centres for DIN (only white profiles) | O,8m/m² | 0,8m/m² | |
| 3 | Connect T24 or T15 Cross Tee, L=1250 mm, installed at 625 mm centres | 1,6m/m² | 1,6m/m² | |
| 4 | Connect T24 or T15 Cross Tee, L=625 mm | 0,8m/m² | - | |
| 5 | Connect Adjustable Hanger, installed at 1250 mm centres (max. distance from wall 600 mm) | 0,7/m² | 0,7/m² | |
| 5 | Connect Hanger Clip (not to be used in swimming hall environments) | 0,7/m² | 0,7/m² | |
| 7 | Connect Angle trim, fixed at 200 mm centres | as required | as required | |
| 3 | Combison XR (if required) | as required | as required | |
| 9 | Combison Barrier (if required) | as required | as required | |
| 10 | Connect Angle trims position upper part of Barrier panels (if required) | as required | as required | |
| 11 | Connect Frieze bracket, position upper part of Barrier panels (if required) | as required | as required | |
| | Δ Min. overall depth of system: 100 mm | | - | |
| | δ Min. demounting depth: 210 mm | - | - | |







Cutting tool E



When having double Barriers the foil should be mounted outwards.

| Size, mm | Max live load (N) | | |
|-------------|----------------------|--|--|
| 625x625x25 | - | | |
| 1250x625x25 | - | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

Live load/load bearing capacity